


# Indigenous Technical Knowledge and Its Potential Application to Uganda's Pig Sub-Sector

Junior Senyonga Kasima<sup>1</sup>  | Basil Mugonola<sup>1</sup> | Harriet Muyinza<sup>2</sup> | Sarah Kizza-Nkambwe<sup>3</sup> | Geoffrey Akiiki Beyihayo<sup>1</sup> | Kenneth Kidega<sup>1</sup> | James Nokrach<sup>1</sup> | Maxmillan Mpewo<sup>3</sup> | Marx Kisaame<sup>4</sup> | Elly Kurobuza Ndyomugenyi<sup>1</sup>

<sup>1</sup>Faculty of Agriculture and Environment, Gulu University, Gulu, Uganda | <sup>2</sup>Food Bioscience and Agribusiness Laboratory, National Agricultural Research Laboratories, Kampala, Uganda | <sup>3</sup>Faculty of Engineering, Design and Technology, Uganda Christian University, Mukono, Uganda | <sup>4</sup>Department of English, Bethel Children's Village Kawanda, Wakiso, Uganda

**Correspondence:** Junior Senyonga Kasima ([kasi95js@gmail.com](mailto:kasi95js@gmail.com))

**Received:** 30 August 2023 | **Revised:** 7 December 2023 | **Accepted:** 22 October 2024

**Funding:** The authors received no specific funding for this work.

**Keywords:** high feeding costs | indigenous technical knowledge | smallholder farmers

## ABSTRACT

Uganda's pork consumption is speculated to exceed any other livestock meat consumption by 2050. However, the current trend in pig production may not meet the demand due to pig production constraints such as recurrent disease incidences and high feeding costs. The proposed modern practices are not cost-effective, especially for resource-constrained pig farmers. This review, therefore, synthesises previous studies on the practicability of integrating Indigenous Technical Knowledge (ITK) in pig production to mitigate the prevailing pig production challenges in Uganda. By employing ITK, smallholder farmers have realised that indigenous pig breeds are disease-resistant and suit the prevailing harsh tropical conditions. In addition, affordable plant-based concoctions have been developed to cure diseases in pigs. For example, *Centella asiatica* has been identified as a potential purgative for diarrhoeal infections. Integrating pigs in cropping systems has also been adopted as a low-cost alternative to effectively feed pigs for optimal performance. Fortunately, most of the ITK options for solving pig production challenges are feasible in Uganda. Thus, ITK should be embedded in the country's extension system to increase smallholder farmers' awareness about its potential of improving pig production. An ITK-modern technology integration would probably meet the acceptance and be suitable for commercial pig producers.

## 1 | Introduction

In this era of agricultural modernisation, technology advancement has significantly contributed to the development of the agriculture sector [1]. Nonetheless, the adoption of improved technologies is still low, especially among resource-constrained farmers [2]. Even with this low usage of improved technologies, smallholder farmers meet over 80% of the world's food consumption needs [3]. This could imply that these farmers employ their 'magical' practices to ensure that they sustain production

for the high population of food consumers. These magical practices are termed 'Indigenous Technical Knowledge' [4].

Indigenous Technical Knowledge (ITK), also known as Indigenous Knowledge System (IKS) or Traditional Knowledge (TK) or Local Knowledge (LK) [5], refers to farmer-friendly practices developed over time for and by the locals of a given area, aimed at obtaining a sustainable use of their natural resources [4, 6, 7]. These practices are favourable to smallholder farmers as they offer practical solutions to their problems and are readily

This is an open access article under the terms of the [Creative Commons Attribution](https://creativecommons.org/licenses/by/4.0/) License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2024 The Author(s). *Modern Agriculture* published by Wiley-VCH GmbH.

### Summary

- The growth of Uganda's pig sub-sector is constrained by a set of challenges such as diseases and high feeding costs;
- The use of ITK could contribute to mitigating these challenges, mainly if the ITK is embedded in the country's extension system for easy diffusion in farming systems;
- Integrating ITK with modern technology could be adopted in commercial pig production systems and possibly lead to a productive and sustainable pig sub-sector.

available with no or minimal side effects to the environment [8]. ITK is developed over a period of time by experimentation within a farming community [9, 10]. From this continued experimentation, ecologically sound technologies have been formulated and proved valid in different communities [11, 12]. Several communities all over the world have relied on this knowledge for centuries to sustain agricultural production systems [13, 14]. Unfortunately, ITK seems obsolete in this era of modern technology, which cannot solely solve traditional farmers' challenges.

Indigenous Technical Knowledge is preserved in a way that the bearers pass it on to future generations-verbally or by observation, and it is modified time and again to suit the prevailing conditions [14]. Integration of 'new' ITK from external communities in already established IK systems is possible as individuals from different knowledge systems interact [7]. Hence, cross-sharing and adoption of indigenous knowledge between communities occurs, especially upon successful experimentation. Integration of such 'foreign' ITK into an established IK system is, however, based on the level of trust in the source [7].

The use of ITK has proven sustainable in mitigating farming challenges especially in crop production and adaptation to climate change [15–21]. Smallholder farmers have particularly applied ITK to ensure continued crop production within a fragile climate to obtain sustainable food supply and income generation. In Uganda, ITK is less studied, especially in the field of livestock production. This is notwithstanding the significant role of smallholder livestock systems in Uganda's agricultural economy.

Specifically, pig production is of increasing importance, and pork is foreseen to be the most consumed meat type in Uganda in the next 2 decades [22]. However, pig production is constrained by several challenges, especially high costs of commercial feeds and frequent disease incidences [23, 24]. Although these challenges are documented, the suggested alternatives are expensive and have, therefore, seemed inefficient in smallholder systems. The use of manufactured drugs, for example, to treat illnesses or vaccines for vaccination is a barely adopted technology among smallholder farmers [25]. However, disease incidences still prevail in smallholder operations, and have deterred the advancement of their enterprises. On the other hand, minimal information exists on the use of ITK to curb these challenges in Uganda's pig production [20]. Elsewhere, however, ITK has been applauded for sustaining smallholder

livestock production systems [18, 26–29]. The current review, therefore, scrutinises literature on the contribution of ITK to pig production primarily from other countries, and applies the feasible practices to Uganda's setting to draw conclusions on the potential of using ITK in improving pig production. The review unearths the potential of integrating ITK in initiatives to solve Uganda's pig production challenges. Unearthing this wealth of knowledge is crucial in the trending interventions to improve the pig sub-sector of Uganda where the demand for pork is steadily increasing.

## 2 | Underlying Problem

Pig populations have persistently remained low globally [30] and locally in Uganda [31]. This low pig population is attributed to a set of practical challenges, among which high feeding costs and diseases feature as the most deterring [32, 33]. Different stakeholders in pig production have tirelessly devised means of developing practical solutions, such as alternative feeding strategies to reduce feeding costs [34]. Nonetheless, the outstanding interventions are only feasible for commercial farmers, who only contribute a meagre percentage to Uganda's pig population. Solutions to smallholder pig production systems which are in a dire state and need of low-cost interventions are still needed. Such farmers rely on traditional practices to address their production challenges, which, for the case of pig production, are less documented purportedly because the importance of pig production has just recently been realised in Uganda [20]. To augment scientific interventions- which primarily favour intensive pig farming- it is necessary to establish the potential role of ITK in addressing pig production challenges. For example, ITK is a rich reservoir of knowledge that is critical to sustainable indigenous livestock management in different communities [18]. Since it is possible to adopt 'foreign' Indigenous Knowledge [7], exploring the different indigenous practices used in pig production in other parts of the world, and applying them to Uganda could contribute to solving the common challenges in Uganda's pig production systems. This is the scope of the current review.

## 3 | Indigenous Technical Knowledge in Breed Selection and Breeding

Farmers have a set of traits that they prefer in traditional pigs and that influence the selection process. Disease resistance and high fertility rates were, for example, considered essential traits of local pigs by farmers in Zambia, which made them prefer local to exotic pigs [35] (Table 1). In Naga land, indigenous pigs were reported to reach sexual maturity earlier than the cross-bred pigs [62]. This early sexual maturity was attributed to the faster testicular growth of the indigenous pig breeds compared to the crossbreeds [63]. In Serbia, it was realised that traditional pigs were used to the prevailing free-ranging conditions and are 'knowledgeable' about the most palatable plant species [36]. This has reduced cases of ailment or even death accruing from eating poisonous plants by pigs. Since this knowledge is developed over time of ranging, it is not found in intensively managed exotic

**TABLE 1** | A summary of the different indigenous technical knowledge practices that can potentially sustain pig production in Uganda.

Author(s) and year	Country	Application	ITK practices	Remarks
Molnár et al. [36]	Serbia	Breed selection and breeding	Selection of indigenous pig breeds for the free-range system	Indigenous pigs have evolved to differentiate palatable and poisonous plants; hence they can survive on free-range with minimal fear to the farmers that they will die from poisoning
Abigaba et al. [35]	Zimbabwe			Indigenous pigs are tolerant to prevailing draught conditions and disease incidences
Karthickeyan and Gajendran [37]	India		Sharing boars between communities	This is aimed at improving herd productivity through sharing highly productive males among herds. It also curbs the disadvantages of inbreeding
Petrus et al. [38]	Namibia		Feeding boars on watermelon fruit and leaves	Increases libido
Shai et al. [39]; Tutubalang et al. [40]; Morakinyo, Adeniyi, and Arikawe [41]	South Africa; Nigeria		Feeding male rats and ruminants with <i>Zingiber officinale</i> root extracts and cocks with <i>Moringa oleifera</i> leaf extracts	Shai et al. [39] suspected potential use in pigs and recommended the two extracts be tried on boars
Liufu et al. [42]	China		Crossing of indigenous pigs with exotic pig breeds	The Luchuan females in China, are for example applauded as good parents for the hybrids; the practice of crossbreeding is also practiced in Uganda
Borah, Bey, and Deka [43]; Doley et al. [44]	India	Pig health management	<i>Centella asiatica</i> paste cures diarrhoeal complications and fever in pigs	Administering 50–100 mL extract of the whole plant twice a day for a maximum of 7 days effectively manages diarrhoea and fever in pigs. The plant is readily available in Uganda
Doley et al. [44]	India		Administering <i>Carica papaya</i> fruit to pigs against diarrhoea	Cooking pieces of papaya fruit with rice bran and feeding the cooked mixture to pigs twice a day for about 5 days cures diarrhoea. The two ingredients are available in Uganda
			Administering neem paste purges pigs of worms	Neem ( <i>Azadirachta indica</i> ) powder mixed with water and administered orally for about 5 days is effective in controlling worms in pigs. Neem readily grows in different parts of Uganda and the practice can be sustained
Singh et al. [45]	India		Feeding anthill soil as a strategy to control anaemia in piglets	Anthill soil is readily available in Uganda and this practice can potentially be sustained by smallholder farmers

(Continues)

TABLE 1 | (Continued)

Author(s) and year	Country	Application	ITK practices	Remarks
Shadap and Dkhar [8]	India		Spreading water from banana pseudo-stem around fractures/dislocated bones	The pseudo-stem is rubbed around the fractured spot ensuring water is smeared all over the place. Banana is available in most parts of the country and the pseudo-stems can easily be accessed
			Turmeric rhizome paste mixed with mustard oil enhances healing of fractures	The turmeric rhizome paste-mustard oil mixture is applied and bamboo stick tied around the fractured spot to hasten the healing process
Sithole [46]; van Ryssen [47]	Zimbabwe		Wood ash as a mineral source	Can be supplemented in pig diets to contribute to the calcium requirements of the pigs
Aliro et al. [48]	Uganda		Burying carcass of dead pigs to avoid spread of African swine fever	Unfortunately, farmers could not specify the recommended depth
Ibrahim, Graham, and Leitner [49]; Devanand and Kamala [50]	Uganda; India	Managing manure and offensive smell in pig houses	Heaping pig manure to decompose	Farmers utilise decomposed pig manure as an organic fertiliser in their gardens. Pig manure is said to not only improve crop yield but also has pesticidal properties
Das et al. [51]	India		Mixing pig manure with rice husks and spreading the mixture in fields of turmeric and ginger	Applying the mixture just after emergence of the ginger and turmeric increases yield by 27%
Parodi et al. [52]; Nguyen, Tomberlin, and Vanlaerhoven [53]; Diener et al. [54]; Newton et al. [55]	Netherlands; Costa Rica		Degradation of pig manure using black soldier fly larvae	The practice reduces pig manure by 39% without producing offensive smell and the resulting composted material (frass) is an organic fertiliser
Baul and McDonald [56]; Egeru [57]; Shadap and Dkhar [8]; Lumu et al. [58]	India; Uganda	Feeding pigs	Feeding pigs on crop and food wastes	Pigs are raised in the prevailing cropping system which also includes beneficial trees; farmers feed pigs on crop and food wastes, and palatable weed species
Shadap and Dkhar [8]	India		Supplementing daily rations with fermented rice	This increases growth rate of the pigs
Yang et al. [59]; Komolafe and Sonaiya [60]	China; Nigeria		Feeding chicken manure to pigs	This reduces feeding costs and improves carcass quality characteristics
Molnár et al. [36]; Argemí-Armengol et al. [61]	Serbia		Letting pigs to forage by the roadside	This is aimed at ensuring production of pork with enhanced eating quality. However, caution should be taken as forages by the roadside could have a high heavy metal load

pigs. Besides the foraging ability, indigenous pigs can survive on a range of feedstuffs, most of which are even less nutritious. This attribute was greatly applauded by the farmers in South Africa [64]. Smallholder farmers in Zimbabwe have also selected indigenous pigs owing to their tolerance to prevailing draught conditions, which they have developed over time [35]. These aforementioned traits have given indigenous pig breeds a comparative advantage in smallholder farming communities as opposed to the exotic pigs.

Communities in India have developed the practice of sharing good boars as a strategy to improve herd productivity [37]. This also curbs the disadvantages of inbreeding that would accrue from repeatedly using the same boar even on its offspring. It was also reported that feeding water melon and its leaves to boars increases libido [38]. Feeding boars with watermelon could therefore increase litter size and farrowing index in a herd. In ruminants, feeding *Zingiber officinale* root extracts and *Moringa oleifera* leaf extracts to male animals was reported to potentially increase sperm count, and hence reproductive performance [39]. In pigs, however, there is scanty information on the potential of these plant extracts to improve reproductive performance, and Shai et al. [39] recommended exploring this potential. It is quite inconclusive whether pig farmers have explored this potential as little about the subject is known in the pig sub-sector.

Although indigenous pigs are hardy, a characteristic that smallholder farmers prefer them for, they have a low productivity [42]. Farmers have therefore studied the potential of utilising their hardiness while at the same time improving productivity. In China, for example, the Luchuan female pigs are superior parents of hybrids. Consequently, the farmers cross these females with Duroc boars to produce highly adaptive and productive offspring [42]. In Uganda, the rearing of crossbred pigs is also on the rise, owing to the fact that they are more productive than the indigenous breeds and more adaptable than the pure exotic breeds [65–67]. It is most likely that the farmers in Uganda have also realised the superiority of rearing cross-bred pigs over the locals. In India, the Nicobari pigs are reared traditionally with the breeding boars always in the wild [68]. According to Jeyakumar et al. [68], the females look for the boars to mate and come back while pregnant to be looked after by the owners. This practice is similar to the scenarios of indiscriminate breeding which occur in Uganda's predominant extensive system of management.

#### 4 | Indigenous Technical Knowledge in Pig Health Management

Sustaining pig health remains a challenge among Ugandan smallholder pig farmers [69]. Utilising local knowledge could help either to build the immune system or cure some disease cases. The paste of *Centella asiatica* has, for example, been reported as a curative agent for several illnesses in pigs [43]. Administering a 50–100mL extract of the whole plant twice a day for a maximum of seven days effectively manages diarrhoeal complications and fever in pigs [44]. In Uganda, this plant is in

abundance, locally known as *Kabbo K'abakyala* [70]. Therefore, adopting its use in pig health management could be a sustainable strategy. In addition, *Carica papaya* fruits are effective in treating diarrhoeal cases and also possess anthelmintic properties. According to Doley et al. [44], cooking pieces of papaya fruit with rice bran and feeding the cooked mixture to pigs twice a day for about 5 days cures diarrhoea. For worm infestations, Neem (*Azadirachta indica*) powder mixed with water and administered orally for about 5 days was realised as an effective purgative [44]. In addition, farmers in Nagaland were reported to feed anthill soil to piglets as a strategy to reduce anaemia [45].

To treat fractures, smearing water from banana pseudo-stem on the surface of the fractured point was reported to be an effective practice in India [8]. Applying a paste of fresh turmeric rhizome mixed with mustard oil, and then tying a bamboo stick around the fractured point could also enhance healing [8]. Furthermore, wood ash has been reported to have health benefits to pigs due to its high mineral composition [46]. Predominantly, wood ash contains calcium [47], which is an essential constituent of bones. To avoid the spread of African Swine Fever amongst herds, farmers have realised that burying the dead pigs in a deep pit is a practical solution [48]. Unfortunately, the farmers have no specific depth that they refer to as 'deep' but use their own judgement.

#### 5 | Indigenous Technical Knowledge for Managing Manure and Offensive Smell in Pig Houses

The offensive odours from pig houses due to poor waste management make pig rearing a nuisance. To reduce these offensive odours, many farmers clean their pig houses and heap dung in designated areas for future use in their gardens as organic fertilisers [49]. Since pig production is a component of traditional farming systems [71], farmers find it sustainable to use pig manure in crop production. Pig manure not only improves crop yields but also has pesticidal properties and, farmers in India apply it as a preventive measure against pests and disease incidences [50]. In fact, farmers have realised pig dung to be superior to cow dung in its use as an organic fertiliser and as a pesticide [72]. In Vietnam, pig manure is also used to fertilise fish ponds and fish in such ponds grow faster compared to when other fertilisers are used [73]. Apropos manure management, farmers who intensively manage their pigs always flush pig manure with water into slurry pits [74]. Such kind of manure management is not environmentally friendly as it enhances methane emission [75]. Unfortunately, it is quite hard to regulate such a mode of manure management, especially among smallholder settings that dominate pig production in Uganda. Thus, methane production from manure stored in slurry form is also a key challenge in Uganda's pig production [75]. As a means of managing this constraint, farmers in India mix the manure with rice husks and spread the mixture in fields of ginger and turmeric shortly after emergence [51]. The practice was reported to increase yield by about 27%.

Recently, there has been increasing interest in the use of black soldier fly (*Hermetia illucens*) larvae in managing wastes.

Reports have shown that Black soldier fly larvae have a higher preference for pig manure than any other organic waste [52]. The black soldier fly (BSF) larvae can reduce pig manure (Nguyen et al., 2015) by up to 39% without producing any offensive smell [54]. In addition, compost from pig manure degraded by BSF larvae was reported to promote the growth of Basil plants [55]. This implies that BSF larvae can effectively convert pig manure into high-quality organic fertilisers.

Smallholder pig production, which is dominant in Uganda's pig sub-sector, is primarily characterised by an extensive system of management [67]. In this system, manure management is not given priority since collection of the pig manure is quite impossible [75]. Farmers consider this an advantage with the claim that the manure is directly incorporated into the soil [74]. Although farmers think so, it is hazardous to the environment since manure is 'disposed of' without any treatment. It is quite unfortunate that the proposed intensification of pig production as a means of improving manure management and land use efficiency [75, 76] could be an unsustainable pursuit with smallholder communities. This is because intensive pig production is capital intensive and input oriented, a practice that smallholder farmers can hardly afford. On the other hand, the potential effect of the extensive pig production as regards to pollution due to obnoxious emission is also minimal since the pigs scavenge on feeds with imbalanced diets. High protein diets are culprits in culminating obnoxious gases from pig manure [77], and such diets are only feasible in intensive pig production.

## 6 | Indigenous Technical Knowledge in Feeding Pigs

Ideally, traditional pig farming is mainly backyard [78]. In other words, traditional pig farming is primarily a smallholder venture; hence, feeding in such systems is sustained with no commercially balanced concentrates, which are expensive and unaffordable to resource-constrained farmers [45]. Traditional practices in feeding pigs are embedded in the ideology that pig production is a component of a farming system [79, 80]. In this system, pigs and other livestock species are grown together in the prevailing cropping system with beneficial trees incorporated into the same farmstead [56, 57]. This ensures a complete package that sustains the livelihoods of smallholder farmers. The farmers are actually knowledgeable about the dynamics in feeding pigs in this system [81]. Farmers usually give crop and food waste to their pigs [58]. They also give a diverse array of weeds and other plant species which farmers, due to experience, realise are edible to the pigs.

As a strategy to increase growth rates, pig farmers in Meghalaya supplement daily pig rations of grower pigs with fermented rice [8]. The use of chicken manure to feed pigs has also been reported as a strategy to reduce feeding costs and improve carcass quality traits [59, 60]. In Serbia, it was reported that farmers let pigs forage by the roadside [36]. Feeding pigs on forage is used as a means of producing pork with enhanced eating quality [61]. Forage by the roadside should, however, be used judiciously as


there are high risks of heavy metal buildup within the animal system thereby ending up in the food chain [82, 83].

## 7 | Application to Uganda's Pig Sub-Sector

For any initiative towards improving livelihoods of farming communities to be successful, there is need to include farmers at all stages [84]. Their inclusion should not be coercive to have farmers embrace all the components of the intervention but rather put into consideration their practices. This is where ITK proves its importance in farming communities. The prime importance of ITK lies in its economic affordability and social acceptance by the smallholder rural communities [84]. On the other hand, modern interventions have scarcely been adopted by smallholder farmers because they can hardly be afforded by these resource-constrained farmers. Among Ugandan farmers, for example, it was realised that adoption of vaccination technology is low among the poor farmers [25]. In addition, modern technology initiatives are forecast to be void of sustaining production for the ever-increasing populations [85]. Consequently, ITK has received attention, and its potential in sustaining future food demands is gradually being realised. Therefore, with the high and continuously increasing level of pork consumption in Uganda [22], sustaining pork production will necessitate exploring local alternatives to production constraints. Fortunately, Uganda is endowed with essential natural resources for sustainable pig production, most of which are within the reach of smallholder farmers. An example is the abundant crop wastes, which are a potential ingredient in pig diets [86]. However, it is possible that farmers are either not utilising this knowledge or are unaware of how to apply ITK to improve their piggery enterprises. The current review has highlighted the potential mechanisms through which smallholder pig farmers in Uganda can integrate ITK initiatives, if not already using them, to sustain pig production. From the evidence of availability of the resources around which ITK in pig production rotates, it is possible that Uganda's pig production could be boosted by integrating ITK into pig production. To ensure a sustained and productive piggery sub-sector, we recommend that the ITK be integrated into modern technology initiatives, tested, and promoted even in commercial pig production. We postulate that this would hasten and sustain the growth of pig production in Uganda, as integration will exploit the benefits of both interventions, as shown in Figure 1.

## 8 | Possible Challenges in Using ITK in Pig Production

The current system generally selects against traditional practices among farmers. There has been a wrong perception, especially among young farmers (below 50 years) that 'scientific' approaches are superior and are the only solutions to the trending pig production challenges, hence limiting the use of ITK. This perception could negatively impact Uganda's IKS since the agricultural sector is increasingly being dominated by young farmers. On the other hand, some experienced and older



**FIGURE 1** | This figure explains the potential of integrating indigenous technical knowledge (ITK) in pig production in Uganda. The figure illustrates that pigs are either produced using modern technologies or indigenous technical knowledge/indigenous practices. Modern technologies (red box) are less adopted by smallholder farmers, especially because of the high costs involved in using them, unlike the affordable and environmentally friendly indigenous practices (light green box). The two practices, however, cannot result in optimal production independently due to the limiting factors attributed to the use of each. Indigenous technical knowledge alone is affordable to smallholder farmers but cannot yield optimal pig enterprise performance. Modern technologies are costly and non-sustainable in smallholder operations. Thus, we recommend integrating both modern practices (middle dark green box) as it could lead to sustainable pig production. This integrated approach should be piloted and promoted in commercial pig production.

farmers have to some extent continued employing the local knowledge they have in livestock management [8].

## 9 | Conclusion

In line with the reviewed literature, there is a strong possibility that strengthening farmers' innovations through ITK would contribute to solving pig production challenges in Uganda. The country's extension system has a great role to play in reviving the farmers' knowledge by not 'just introducing modern knowledge' but by tickling their minds to think, reflect and synthesise the knowledge they already have. Documentation of ITK practices may be essential to prevent its extinction with increasing access to modern technology.

### Author Contributions

**Junior Senyonga Kasima:** conceptualization (lead), data curation (lead), investigation (lead), project administration (lead), writing–original draft (lead), writing–review and editing (lead). **Basil Mugonola:** supervision (equal), writing–original draft (equal), writing–review and editing (supporting). **Harriet Muyinza:** conceptualization (supporting), supervision (supporting), writing–original draft (equal), writing–review and editing (equal). **Sarah Kizza-Nkambwe:** conceptualization (equal), supervision (equal), writing–original draft (equal), writing–review and

editing (equal). **Geoffrey Akiiki Beyihayo:** conceptualization (supporting), writing–original draft (equal), writing–review and editing (equal). **Kenneth Kidega:** writing–original draft (equal), writing–review and editing (equal). **James Nokrach:** conceptualization (supporting), writing–original draft (equal), writing–review and editing (equal). **Maxmillan Mpewo:** writing–review and editing (equal). **Marx Kisaame:** writing–review and editing (equal). **Elly Kurobuza Ndyomugenyi:** conceptualization (equal), supervision (equal), writing–original draft (equal), writing–review and editing (equal).

### Acknowledgements

The authors are grateful to all their respective institutions for providing a favourable environment for preparing this paper. Great thanks to the authors whose work has been cited in this paper.

### Conflicts of Interest

The authors declare no conflicts of interest.

### Data Availability Statement

Data sharing not applicable to this article as no datasets were generated or analysed during the current study.

### References

1. K. Ponnusamy, J. Gupta, and R. Nagarajan, "Indigenous Technical Knowledge (ITK) in Dairy Enterprises in Coastal Tamil Nadu," *Indian Journal of Traditional Knowledge* 8, no. 2 (2009): 206–211, <https://nopr>.

niscpr.res.in/bitstream/123456789/3949/1/IJTK%208%282%29%20206-211.pdf.

2. C. Srinivasarao, C. S. Lakshmi, S. Kundu, et al., "Indigenous Technical Knowledge for Enhanced Agronomic Productivity and Soil Health of Small Holder Farmers in Tropical India," *Climate Change and Environmental Sustainability* 9, no. 1 (2021): 1–13, [https://www.researchgate.net/profile/Srinivasarao-Ch/publication/356267385\\_Indigenous\\_Technical\\_Knowledge\\_for\\_Enhanced\\_Agronomic\\_Productivity\\_and\\_Soil\\_Health\\_of\\_Small\\_Holder\\_Farmers\\_in\\_Tropical\\_India/links/620948b987866404a166b7fe/Indigenous-Technical-Knowledge-for-Enhanced-Agronomic-Productivity-and-Soil-Health-of-Small-Holder-Farmers-in-Tropical-India.pdf?origin=journalDetail&tp=eyJWYlJjoaim91cm5hbERldGFpbcj9](https://www.researchgate.net/profile/Srinivasarao-Ch/publication/356267385_Indigenous_Technical_Knowledge_for_Enhanced_Agronomic_Productivity_and_Soil_Health_of_Small_Holder_Farmers_in_Tropical_India/links/620948b987866404a166b7fe/Indigenous-Technical-Knowledge-for-Enhanced-Agronomic-Productivity-and-Soil-Health-of-Small-Holder-Farmers-in-Tropical-India.pdf?origin=journalDetail&tp=eyJWYlJjoaim91cm5hbERldGFpbcj9).
3. IFAD Report, "Small Holder's, Food Security and the Environment," in *Enabling Poor Rural People to Overcome Poverty* (Via Paolo di Dono, Rome, Italy: United Nations Environment Programme, 2013), [https://www.ifad.org/documents/38714170/39135645/smallholders\\_report.pdf/133e8903-0204-4e7d-a780-bca847933f2e](https://www.ifad.org/documents/38714170/39135645/smallholders_report.pdf/133e8903-0204-4e7d-a780-bca847933f2e).
4. S. Sharma, R. Bajracharya, and B. Sitaula, "Indigenous Technical Knowledge (ITK) in Nepal – A Review," *Indian Journal of Traditional Knowledge* 8, no. 4 (2009): 569–576, <https://nopr.niscpr.res.in/bitstream/123456789/6260/1/IJTK%208%284%29%20569-576.pdf>.
5. S. Shubeeana, A. Hai, S. A. Hamdani, et al., "Role of Indigenous Technical Knowledge (ITK's) in Growth and Production of Livestock Sector," *Journal of Biomedical Research and Environmental Sciences* 3, no. 1 (2022): 14–17, JBRES1394, <https://doi.org/10.37871/jbres1394>.
6. S. Sow and S. Ranjan, "Indigenous Technical Knowledge (ITK) for Sustainable Agriculture in India," *Agriculture and Food: E-Newsletter* 3, no. 1 (2021): 31–35, [https://www.researchgate.net/profile/Sumit-Sow/publication/349278516\\_Indigenous\\_Technical\\_Knowledge\\_ITK\\_for\\_Sustainable\\_Agriculture\\_in\\_India/links/60276f8745851589399efad8/Indigenous-Technical-Knowledge-ITK-for-Sustainable-Agriculture-in-India.pdf](https://www.researchgate.net/profile/Sumit-Sow/publication/349278516_Indigenous_Technical_Knowledge_ITK_for_Sustainable_Agriculture_in_India/links/60276f8745851589399efad8/Indigenous-Technical-Knowledge-ITK-for-Sustainable-Agriculture-in-India.pdf).
7. E. T. Lwoga, P. Ngulube, and C. Stilwell, "Managing Indigenous Knowledge for Sustainable Agricultural Development in Developing Countries: Knowledge Management Approaches in the Social Context," *International Information & Library Review* 42, no. 3 (2010): 174–185, <https://doi.org/10.1080/10572317.2010.10762862>.
8. M. D. Shadap and S. E. Dkhar, "Indigenous Technical Knowledge (Itk) Practiced by Dairy and Piggery Farmers in Meghalaya," *Indian Journal of Hill Farming* 32, no. 1 (2019): 92–95, [https://kiran.nic.in/pdf/IJHF/Vol\\_32\\_1/19.pdf](https://kiran.nic.in/pdf/IJHF/Vol_32_1/19.pdf).
9. R. Devi, B. Saha, A. Pandit, and D. Kashyap, "Assessment of Applicability of Indigenous Technical Knowledge (ITK) in Aquaculture as Perceived by Fish Farmers in Assam," *Indian Journal of Fisheries* 61, no. 3 (2014): 104–110, [https://www.researchgate.net/profile/Arun-Pandit/publication/271511486\\_Assessment\\_of\\_applicability\\_of\\_Indigenous\\_Technical\\_Knowledge\\_ITK\\_in\\_aquaculture\\_as\\_perceived\\_by\\_fish\\_farmers\\_in\\_Assam/links/54ca11f50cf2807dcc2891f8/Assessment-of-applicability-of-Indigenous-Technical-Knowledge-ITK-in-aquaculture-as-perceived-by-fish-farmers-in-Assam.pdf](https://www.researchgate.net/profile/Arun-Pandit/publication/271511486_Assessment_of_applicability_of_Indigenous_Technical_Knowledge_ITK_in_aquaculture_as_perceived_by_fish_farmers_in_Assam/links/54ca11f50cf2807dcc2891f8/Assessment-of-applicability-of-Indigenous-Technical-Knowledge-ITK-in-aquaculture-as-perceived-by-fish-farmers-in-Assam.pdf).
10. A. Borthakur and P. Singh, "Indigenous Technical Knowledge (ITK) and Their Role in Sustainable Grassroots Innovations: An Illustration in Indian Context," in *Proceedings of International Conference on Innovation & Research in Technology for Sustainable Development* (Bonfring, India: ICIRT, 2012), 38–42, [http://www.conference.bonfring.org/papers/jindal\\_icirt2012/icirt009.pdf](http://www.conference.bonfring.org/papers/jindal_icirt2012/icirt009.pdf).
11. S. K. Saurav, R. Chakravarty, V. Chandran, and B. S. Meena, "Utilization Pattern and Validation of Indigenous Technical Knowledge (ITK) Prevailing Among the Dairy Farmers of Northern Bihar," *Indian Research Journal of Extension Education* 23, no. 3 (2023): 31–38, [https://www.researchgate.net/profile/Subhash-Saurav/publication/371898099\\_Utilization\\_Pattern\\_and\\_Validation\\_of\\_Indigenous\\_Technical\\_Knowledge\\_ITK\\_Prevailing\\_among\\_the\\_Dairy\\_Farmers\\_of\\_Northern\\_Bihar/links/649add30b9ed6874a5de0737/Utilization-Pattern-and-Validation-of-Indigenous-Technical-Knowledge-ITK-Prevailing-among-the-Dairy-Farmers-of-Northern-Bihar.pdf](https://www.researchgate.net/profile/Subhash-Saurav/publication/371898099_Utilization_Pattern_and_Validation_of_Indigenous_Technical_Knowledge_ITK_Prevailing_among_the_Dairy_Farmers_of_Northern_Bihar/links/649add30b9ed6874a5de0737/Utilization-Pattern-and-Validation-of-Indigenous-Technical-Knowledge-ITK-Prevailing-among-the-Dairy-Farmers-of-Northern-Bihar.pdf).
12. D. Amitendu, H. P. S. Arya, T. Babulal, and A. Goswami, "Indigenous Technical Knowledge in Animal Husbandry," *Livestock Research for Rural Development* 16, no. 8 (2004): 59, <http://www.lrrd.org/lrrd16/8/arun16059.htm>.
13. A. Kingsbury, S. Ho, H. Hoa, and H. Kieu, "African Swine Fever and the Adaptive Capacity of Ethnic Minority Smaller-Scale Producers of Pork in the Northern Mountainous Region of Vietnam," *International Journal of Sociology of Agriculture and Food* 28, no. 2 (2022): 23–39, <https://doi.org/10.48416/ijfsaf.v28i2.481>.
14. K. Naharki and M. Jaishi, "Documentation of Indigenous Technical Knowledge and Their Application in Pest Management in Western Mid Hill of Nepal," *SAARC Journal of Agriculture* 18, no. 1 (2020): 251–261, <https://doi.org/10.3329/sja.v18i1.48397>.
15. Z. Kom, N. S. Nethengwe, S. Mpaneli, and H. Chikoore, "Indigenous Knowledge Indicators Employed by Farmers for Adaptation to Climate Change in Rural South Africa," *Journal of Environmental Planning and Management* 66, no. 13 (2022): 1–16, <https://doi.org/10.1080/09640568.2022.2086854>.
16. S. Khatri, S. Khanal, and S. Kafle, "Perceived Attributes and Adoption of Indigenous Technological Knowledge on Agriculture – A Case Study From Bhirkot Municipality of Syangja District, Nepal," *Cogent Food and Agriculture* 7, no. 1 (2021): 1914384, <https://doi.org/10.1080/23311932.2021.1914384>.
17. C. A. Masango and V. W. Mbarika, "Indigenous Knowledge Application in Increasing Food Security: A Measure to Consider?," *Inkanyiso–Journal of African Thought* 14, no. 1 (2022), <https://doi.org/10.4102/ink.v14i1.20>.
18. J. Kereto, A. O. Nkurumwa, J. Obara, and N. Mango, "Livestock Management and Protection Using Indigenous Technical Knowledge Among the Maasai of Narok County, Kenya," *Cogent Social Sciences* 8, no. 1 (2022): 2040793, <https://doi.org/10.1080/23311886.2022.2040793>.
19. F. N. Nnadi, J. Chikaire, and K. E. Ezudike, "Assessment of Indigenous Knowledge Practices for Sustainable Agriculture and Food Security in Idemili South Local Government Area of Anambra State, Nigeria," *Journal of Resources Development and Management* 1, no. 2013 (2013): 14–21, <https://core.ac.uk/download/pdf/234695983.pdf>.
20. D. Akullo, R. Kanzikwera, P. Birungi, W. Alum, L. Aliguma, and M. Barwogeza, "Indigenous Knowledge in Agriculture: A Case Study of the Challenges in Sharing Knowledge of Past Generations in a Globalized Context in Uganda," in *World Library and Information Congress: 73rd Ifla General Conference and Council 19–23 August 2007; IFLA General Conference and Council* (Durban, South Africa, 2007), <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=906a2b0c4f81a23b52dfc489bcc32460d82757b0>.
21. T. Hart and J. Mouton, "Indigenous Knowledge and its Relevance for Agriculture: A Case Study in Uganda," *Indilinga: African Journal of Indigenous Knowledge Systems* 4, no. 1 (2005): 249–263, <https://journals.co.za/doi/epdf/10.10520/EJC61474>.
22. Food and Agricultural Organisation of the United Nations [FAO], *Africa Sustainable Livestock 2050: Country Brief* (Rome, Italy: FAO, 2017), <https://www.fao.org/3/i7503e/i7503e.pdf>.
23. J. S. Kasima, B. Mugonola, and E. K. Ndyomugenyi, "Pig Production in Gulu and Omoro Districts of Northern Uganda," *Stechnolock Veterinary Science* 1, no. 1 (2021): 1–9, <https://nru.uncst.go.ug/bitstream/handle/123456789/4612/Pig%20Production%20in%20Gulu%20and%20Omoro%20Districts%20of%20Northern%20Uganda.pdf?sequence=1&isAllowed=y>.
24. J. S. Kasima, B. Mugonola, T. Aliro, and E. K. Ndyomugenyi, "Effect of Substituting a Commercial Grower Diet With Fermented Sweet Potato Vine-Cassava Tuber-Based Diet on the Performance of Growing Pigs," *African Journal of Rural Development* 6, no. 2 (2021): 44–

52. [https://www.researchgate.net/profile/Junior-Senyonga-Kasima/publication/370952484\\_Effect\\_of\\_substituting\\_a\\_commercial\\_grower\\_diet\\_with\\_fermented\\_sweet\\_potato\\_vine\\_cassava\\_tuber\\_based\\_diet\\_on\\_the\\_performance\\_of\\_growing\\_pigs/links/646c5e8c27938813482e0e54/Effect-of-substituting-a-commercial-grower-diet-with-fermented-sweet-potato-vine-cassava-tuber-based-diet-on-the-performance-of-growing-pigs.pdf](https://www.researchgate.net/profile/Junior-Senyonga-Kasima/publication/370952484_Effect_of_substituting_a_commercial_grower_diet_with_fermented_sweet_potato_vine_cassava_tuber_based_diet_on_the_performance_of_growing_pigs/links/646c5e8c27938813482e0e54/Effect-of-substituting-a-commercial-grower-diet-with-fermented-sweet-potato-vine-cassava-tuber-based-diet-on-the-performance-of-growing-pigs.pdf).
25. W. N. Nanyeenya, A. Mugisha, S. P. Musinguzi, R. Magambo, and M. Senoga, "Constraints, Livelihoods and Technology Adoption of Village Chicken Producers in Uganda," *Livestock Research for Rural Development* 25, no. 11 (2013): 188, <http://www.lrrd.org/lrrd25/11/nany25188.htm>.
26. S. Shubeena, A. Hai, S. Hamdani, and A. Akand, "Indigenous Technical Knowledge (ITKs) Used by Farmers of Central Kashmir to Increase Production and Reproduction in Livestock," *International Journal of Livestock Research* 8, no. 8 (2018): 1–8, <https://doi.org/10.5455/ijlr.20171004030110>.
27. S. Shubeena, A. Hai, S. A. Hamdani, et al., "Awareness and Adoption of Indigenous Technical Knowledge in Management of Surgical Conditions in Livestock," *Journal of Entomology and Zoology Studies* 6, no. 4 (2018): 1205–1208, <https://www.entomoljournal.com/archives/2018/vol6issue4/PartU/6-4-289-161.pdf>.
28. A. Bhanotra and J. Gupta, "Mapping of Indigenous Technical Knowledge (ITK) on Animal Healthcare and Validation of ITKs Used for Treatment of Pneumonia in Dairy Animals," *Indian Journal of Traditional Knowledge* 15, no. 2 (2016): 297–303, <https://nopr.niscpr.res.in/bitstream/123456789/33983/1/IJTK%2015%282%29%20297-303.pdf>.
29. S. J. Patel, A. S. Patel, J. H. Patel, N. R. Patel, and V. N. Parmar, "Indigenous Technical Knowledge Regarding Animal Husbandry Practices," *Advances in Life Sciences* 5, no. 5 (2016): 1610–1617, [https://www.researchgate.net/profile/Dr-Patel-6/publication/328163489\\_Indigenous\\_Technical\\_Knowledge\\_Regarding\\_Animal\\_Husbandry\\_Practices/links/5bbc7def299bf1049b782893/Indigenous-Technical-Knowledge-Regarding-Animal-Husbandry-Practices.pdf](https://www.researchgate.net/profile/Dr-Patel-6/publication/328163489_Indigenous_Technical_Knowledge_Regarding_Animal_Husbandry_Practices/links/5bbc7def299bf1049b782893/Indigenous-Technical-Knowledge-Regarding-Animal-Husbandry-Practices.pdf).
30. Iowa Agriculture Literacy Foundation, Pork Production—Then and Now (2017), <https://www.iowaagliteracy.org/Article/Pork-Production-Then-and-Now#:~:text=Swine%20were%20among%20the%20first,as%20early%20as%201500%20BC>.
31. Uganda Bureau of Statistics [UBOS], The 2017 Statistical Abstract, Kampala, Uganda (2017), [https://www.ubos.org/wp-content/uploads/publications/03\\_20182017\\_Statistical\\_Abstract.pdf](https://www.ubos.org/wp-content/uploads/publications/03_20182017_Statistical_Abstract.pdf).
32. W. M. Rauw, L. Rydhmer, I. Kyriazakis, et al., "Prospects for Sustainability of Pig Production in Relation to Climate Change and Novel Feed Resources," *Journal of the Science of Food and Agriculture* 100, no. 9 (2020): 3575–3586, <https://doi.org/10.1002/jsfa.10338>.
33. T. Montsho and J. C. Moreki, "Challenges in Commercial Pig Production in Botswana," *Journal of Agricultural Technology* 8, no. 4 (2012): 1161–1170, [http://ijat-aatsea.com/pdf/v8\\_n4\\_12\\_july/2\\_ijat\\_2012\\_8\\_4\\_t.pdf](http://ijat-aatsea.com/pdf/v8_n4_12_july/2_ijat_2012_8_4_t.pdf).
34. D. M. Okello, W. Odongo, T. Aliro, and E. Ndyomugenyi, "An Assessment of Pig Feed Diversity Amongst Smallholder Pig Farmers in Northern Uganda," *Cogent Food and Agriculture* 7, no. 1 (2021): 1937867, <https://doi.org/10.1080/23311932.2021.1937867>.
35. R. Abigaba, P. C. Sianangama, P. H. Nyanga, W. N. Mwenya, and E. S. Mwaanga, "Traditional Farmers' Pig Trait Preferences and Awareness Levels Toward Reproductive Biotechnology Application in Zambia," *Journal of Advanced Veterinary and Animal Research* 9, no. 2 (2022): 255–266, <https://doi.org/10.5455/javar.2022.i591>.
36. Z. Molnár, K. Szabados, A. Kiš, et al., "Preserving for the Future The—Once Widespread but Now Vanishing—Knowledge on Traditional Pig Grazing in Forests and Marshes (Sava-Bosut Floodplain, Serbia)," *Journal of Ethnobiology and Ethnomedicine* 17, no. 1 (2021): 1–30, <https://doi.org/10.1186/s13002-021-00482-9>.
37. S. M. K. Karthickeyan and K. Gajendran, "Traditional Technologies in the Improvement of Breeds of Livestock in Tamil Nadu," *Indian Journal of Indigenous Technology* 4, no. 3 (2005): 303–306, <https://nopr.niscpr.res.in/bitstream/123456789/8522/1/IJTK%204%283%29%20303-306.pdf>.
38. N. P. Petrus, I. Mpfu, M. B. Schneider, and M. Nepembe, "The Constraints and Potentials of Pig Production Among Communal Farmers in Etayi Constituency of Namibia," *Livestock Research for Rural Development* 23, no. 7 (2011): 159, <http://www.lrrd.org/lrrd23/7/petr23159.htm>.
39. K. Shai, S. L. Lebelo, J. W. Ng'ambi, M. Mabelebele, and N. A. Sebola, "A Review of the Possibilities of Utilising Medicinal Plants in Improving the Reproductive Performance of Male Ruminants," *All Life* 15, no. 1 (2022): 1208–1221, <https://doi.org/10.1080/26895293.2022.2147225>.
40. K. Tutubalang, N. A. Sebola, H. K. Mokoboki, K. Q. Mosele, F. Manyeula, and M. Mabelebele, "Inclusion of *Moringa oleifera* Leaf Meal in the Diet of Locally Bred Chickens: Effects on Growth Performance, Semen and Hatchability Traits," *Journal of Applied Animal Research* 50, no. 1 (2022): 239–245, <https://doi.org/10.1080/09712119.2022.2058515>.
41. A. O. Morakinyo, O. S. Adeniyi, and A. P. Arikawe, "Effects of Zingiber Officinale on Reproductive Functions in the Male Rat," *African Journal of Biomedical Research* 11, no. 3 (2008), <https://www.ajol.info/index.php/ajbr/article/view/50750>.
42. Y. Liufu, J. Zhou, Q. Fu, M. Shao, Y. Xie, and B. Luo, "Feed Plants, Ethnoveterinary Medicine, and Biocultural Values: Insights on the Luchuan Pig From Hakka Communities in China," *Journal of Ethnobiology and Ethnomedicine* 19, no. 1 (2023): 1–19, <https://doi.org/10.1186/s13002-023-00613-4>.
43. N. Borah, B. S. Bey, and N. Deka, "Indigenous Technical Knowledge (ITK) Used in Agriculture by Selected Ethnic Communities of Assam," *Indian Journal of Traditional Knowledge* 22, no. 2 (2023): 264–272, <https://doi.org/10.56042/ijtk.v22i2.46568>.
44. M. K. Doley, S. Maibangs, N. Baruah, et al., "Ethnoveterinary Practices Amongst Tribal Pig Farmers in Karbi Anglong District of Assam, India," *Indian Journal of Indigenous Knowledge* 21, no. 3 (2022): 558–568, <https://nopr.niscpr.res.in/bitstream/123456789/60198/1/IJTK%20Vol.21%283%29%20558-568.pdf>.
45. M. Singh, P. H. R. Sharma, R. T. Mollier, E. Ngullie, S. K. Baisya, and D. J. Rajkhowa, "Tribal Farmers' Traditional Knowledge and Practices for Pig Farming in Nagaland," *Indian Journal of Animal Sciences* 89, no. 3 (2019): 329–333, <https://doi.org/10.56093/ijans.v89i3.88099>.
46. P. M. Sithole, "Indigenous Knowledge Systems in Crop Management and Grain Storage in Chimanimani District of Zimbabwe," *Southern African Journal of Environmental Education* 36, no. 2020 (2020): 21–32, <https://doi.org/10.4314/sajee.v36i1.3>.
47. J. B. J. van Ryssen, "Wood Ash in Livestock Nutrition: 2. Different Uses of Wood Ash in Animal Nutrition," *Applied Animal Husbandry and Rural Development* 11, no. 2018 (2018): 62–67, [https://www.researchgate.net/profile/Jbj-Van-Ryssen/publication/329416865\\_Wood\\_ash\\_in\\_livestock\\_nutrition\\_2\\_Different\\_uses\\_of\\_wood\\_ash\\_in\\_animal\\_nutrition/links/5c07ae3c458515ae5447ec0d/Wood-ash-in-livestock-nutrition-2-Different-uses-of-wood-ash-in-animal-nutrition.pdf](https://www.researchgate.net/profile/Jbj-Van-Ryssen/publication/329416865_Wood_ash_in_livestock_nutrition_2_Different_uses_of_wood_ash_in_animal_nutrition/links/5c07ae3c458515ae5447ec0d/Wood-ash-in-livestock-nutrition-2-Different-uses-of-wood-ash-in-animal-nutrition.pdf).
48. T. Aliro, E. Chenais, W. Odong, D. M. Okello, C. Masembe, and K. Stahl, "Prevention and Control of African Swine Fever in the Smallholder Pig Value Chain in Northern Uganda: Thematic Analysis of Stakeholders' Perceptions," *Frontiers in Veterinary Science* 8, no. 2022 (2022), <https://doi.org/10.3389/fvets.2021.707819>.
49. W. Ibrahim, M. Graham, and S. Leitner, *Characterization of Pig Manure Management and Associated Environmental and Health Issues in Central Uganda* (ILRI Research Report 96, Nairobi, Kenya: ILRI, 2021), <https://cgspace.cgiar.org/bitstream/handle/10568/117268/RR96.pdf?sequence=3&isAllowed=y>.

50. I. Devanand and M. Kamala, "Indigenous Traditional Knowledge on Crop Protection Practices," *International Journal of Agricultural Science and Research* 7, no. 5 (2017): 345–352, [https://doi.org/10.1155/2017/535376292/41.IJASROCT201741-libre.pdf?1514288986=&response-content-disposition=inline%3B+filename%3DINDIGENOUS\\_TRADITIONAL\\_KNOWLEDGE\\_ON\\_CROP.pdf&Expires=1700766025&Signature=V6SSNH A7M2zra05rJkxXg26YcjR2aMLKeHkIfG7cK0E3gxcA9pTBphyUL3JtruDq MTFOLPK-C3xs0RM0arOJ05I-EnFPfM59b7PrrJaTo37nMOFpEgkiVtUyNy kTD4p1k8ZyYD3cHzAB6grfsm4t0XXYtmaMbmRyUQsB01WxvGG24GN fxngAQhLHLp5-maNIJVN0L4TshfXQhO~EGVZ1q3xx7jcsdth5pcARSjZcx QOirGjupYPucMqSZbWtHAAlIY~U7~Oxz7wMD3QCL-1Wcb-x5xxMv-O5bdIGHRNQFE-l2ZaagP461dpuHT11cYIDiP-HuoGudtptBJ1WL3rl2w\\_\\_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA](https://doi.org/10.1155/2017/535376292/41.IJASROCT201741-libre.pdf?1514288986=&response-content-disposition=inline%3B+filename%3DINDIGENOUS_TRADITIONAL_KNOWLEDGE_ON_CROP.pdf&Expires=1700766025&Signature=V6SSNH A7M2zra05rJkxXg26YcjR2aMLKeHkIfG7cK0E3gxcA9pTBphyUL3JtruDq MTFOLPK-C3xs0RM0arOJ05I-EnFPfM59b7PrrJaTo37nMOFpEgkiVtUyNy kTD4p1k8ZyYD3cHzAB6grfsm4t0XXYtmaMbmRyUQsB01WxvGG24GN fxngAQhLHLp5-maNIJVN0L4TshfXQhO~EGVZ1q3xx7jcsdth5pcARSjZcx QOirGjupYPucMqSZbWtHAAlIY~U7~Oxz7wMD3QCL-1Wcb-x5xxMv-O5bdIGHRNQFE-l2ZaagP461dpuHT11cYIDiP-HuoGudtptBJ1WL3rl2w__&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA).
51. P. Das, S. K. Das, A. Mishra, et al., *Inventory of Indigenous Technical Knowledge in Agriculture Document 2 (Supplement 2)* (New Delhi: Indian Council of Agricultural Research, 2004), [https://www.millets.res.in/pdf/Document\\_2%20-%20Supplement%20%20\\_IITKA.pdf](https://www.millets.res.in/pdf/Document_2%20-%20Supplement%20%20_IITKA.pdf).
52. A. Parodi, K. Van Dijk, J. J. Van Loon, I. J. De Boer, J. Van Schelt, and H. H. Van Zanten, "Black Soldier Fly Larvae Show a Stronger Preference for Manure Than for a Mass-Rearing Diet," *Journal of Applied Entomology* 144, no. 7 (2020): 560–565, <https://doi.org/10.1111/jen.12768>.
53. T. T. Nguyen, J. K. Tomberlin, and S. Vanlaerhoven, "Ability of Black Soldier Fly (Diptera: Stratiomyidae) Larvae to Recycle Food Waste," *Environmental Entomology* 44, no. 2 (2015): 406–410, <https://doi.org/10.1093/ee/nvv002>.
54. S. Diener, N. M. Studt Solano, F. Roa Gutiérrez, C. Zurbrügg, and K. Tockner, "Biological Treatment of Municipal Organic Waste Using Black Soldier Fly Larvae," *Waste and Biomass Valorization* 2, no. 2011 (2011): 357–363, <https://doi.org/10.1007/s12649-011-9079-1>.
55. L. A. R. R. Y. Newton, C. R. A. I. G. Sheppard, D. W. Watson, G. A. R. Y. Burtle, and R. O. B. E. R. T. Dove, *Using the Black Soldier Fly, Hermetia Illucens, as a Value-Added Tool for the Management of Swine Manure* (Raleigh, NC: Animal and Poultry Waste Management Centre, North Carolina State University, 2005), 17, <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=ofaae3fa4bb3b63408f034907164b6b9c335faac>.
56. T. K. Baul and M. McDonald, "Integration of Indigenous Knowledge in Addressing Climate Change," *Indian Journal of Traditional Knowledge* 1, no. 1 (2015): 20–27, <https://nopr.nisep.res.in/bitstream/123456789/32021/1/IJTK%201%281%29%2020-27.pdf>.
57. A. Egeru, "Role of Indigenous Knowledge in Climate Change Adaptation: A Case Study of Teso Sub-Region, Eastern Uganda," *Indian Journal of Traditional Knowledge* 11, no. 2 (2012): 217–224, [https://repository.ruforum.org/system/tdf/Egeru\\_IJTK%2011%282%29%20217-224.pdf?file=1&type=node&id=35589&force=](https://repository.ruforum.org/system/tdf/Egeru_IJTK%2011%282%29%20217-224.pdf?file=1&type=node&id=35589&force=).
58. R. Lumu, C. B. Katongole, J. Nambi-Kasozi, et al., "Indigenous Knowledge on the Nutritional Quality of Urban and Peri-Urban Livestock Feed Resources in Kampala, Uganda," *Tropical Animal Health and Production* 45, no. 2013 (2013): 1571–1578, <https://doi.org/10.1007/s11250-013-0401-8>.
59. J. Yang, J. Luo, Q. Gan, et al., "An Ethnobotanical Study of Forage Plants in Zhuxi County in the Qinba Mountainous Area of Central China," *Plant Diversity* 43, no. 3 (2021): 239–247, <https://doi.org/10.1016/j.pld.2020.12.008>.
60. A. A. Komolafe and E. B. Sonaiya, "Effect of Feeding Open-Air Dried Broiler Litter on Nutrient Digestibility, Growth and Carcass Composition in Growing-Finishing Pig Diets," *International Journal of Applied Agriculture and Apiculture Research* 9, no. 1–2 (2013): 54–70, <https://www.ajol.info/index.php/ijaaar/article/view/96929>.
61. I. Argemí-Armengol, D. Villalba, M. Tor, J. R. Bertolín, M. A. Latorre, and J. Álvarez-Rodríguez, "Effects of Dietary Roughage on Organic Pig Performance, Behaviour and Antioxidants Accretion in Perirenal Adipose Tissue," *Livestock Science* 241, no. 2020 (2020): 104255, <https://doi.org/10.1016/j.livsci.2020.104255>.
62. D. Borkotoky, P. Perumal, and R. K. Singh, "Morph Metric Attributes of Naga Local Pigs," *Veterinary Research* 2, no. 1 (2014): 08–11, [https://web.archive.org/web/20180411194801id\\_/http://jakraya.com/journal/pdf/3-vriArticle\\_2.pdf](https://web.archive.org/web/20180411194801id_/http://jakraya.com/journal/pdf/3-vriArticle_2.pdf).
63. P. Boro, B. H. M. Patel, B. C. Naha, et al., "Productive and Reproductive Performances of Desi Pigs: A Review," *Agricultural Reviews* 37, no. 3 (2016), <https://arccarticles.s3.amazonaws.com/webArticle/articles/7R1612.pdf>.
64. J. Madzimure, M. Chimonyo, K. Dzama, and K. K. Zander, "Breeding Practices of Indigenous Pig Genetic Resources in Communal Production Systems of South Africa," in *9th World Congress on Genetics Applied to Livestock Production* (Champaign: American Society of Animal Science, 2010), 1–6, [https://www.researchgate.net/profile/Kerstin-Zander/publication/265490610\\_Breeding\\_Practices\\_Of\\_Indigenous\\_Pig\\_Genetic\\_Resources\\_In\\_Communal\\_Production\\_Systems\\_Of\\_South\\_Africa/links/541989d10cf203f155adfa6/Breeding-Practices-Of-Indigenous-Pig-Genetic-Resources-In-Communal-Production-Systems-Of-South-Africa.pdf](https://www.researchgate.net/profile/Kerstin-Zander/publication/265490610_Breeding_Practices_Of_Indigenous_Pig_Genetic_Resources_In_Communal_Production_Systems_Of_South_Africa/links/541989d10cf203f155adfa6/Breeding-Practices-Of-Indigenous-Pig-Genetic-Resources-In-Communal-Production-Systems-Of-South-Africa.pdf).
65. N. Ngwili, L. Thomas, S. Githigia, et al., "Co-infection of Pigs With *Taenia Solium* Cysticercosis and Gastrointestinal Parasites in Eastern and Western Uganda," *Parasitology Research* 121, no. 2022 (2021): 177–189, <https://doi.org/10.1007/s00436-021-07380-9>.
66. P. Oba, K. Asmare, Z. Nsadh, R. Doyle, and M. Dione, *Report of the Pig Welfare Assessment Baseline Survey in Selected Districts of Uganda* (Nairobi, Kenya: ILRI, 2021), <https://cgspace.cgiar.org/bitstream/handle/10568/117835/PigWelfareReport.pdf?sequence=1&isAllowed=y>.
67. R. Twine and A. Njehu, *Uganda Smallholder Pig Value Chain Development: Situation Analysis and Trends* (Nairobi, Kenya: ILRI, 2020), [https://cgspace.cgiar.org/bitstream/handle/10568/110134/UgandaSmallholder\\_PigDev.pdf?sequence=1&isAllowed=y](https://cgspace.cgiar.org/bitstream/handle/10568/110134/UgandaSmallholder_PigDev.pdf?sequence=1&isAllowed=y).
68. S. Jeyakumar, J. Sunder, M. S. Kundu, A. Kundu, and T. P. Swapna, "Traditional Pig Rearing Practices Among the Nicobari Tribes of Nicobar Group of Islands, India," *IOSR Journal of Agriculture and Veterinary Science* 7, no. 12 (2014): 35–41, <https://doi.org/10.9790/2380-071213541>.
69. A. Arvidsson, K. Fischer, K. Hansen, S. Sternberg-Lewerin, and E. Chenais, "Diverging Discourses: Animal Health Challenges and Veterinary Care in Northern Uganda," *Frontiers in Veterinary Science* 9, no. 2022 (2022): 773903, <https://doi.org/10.3389/fvets.2022.773903>.
70. D. Okello and Y. Kang, "Exploring Antimalarial Herbal Plants Across Communities in Uganda Based on Electronic Data," *Evidence-based Complementary and Alternative Medicine* 2019 (2019): 1–27, <https://doi.org/10.1155/2019/3057180>.
71. D. Mukherjee, "Resource Conservation through Indigenous Farming System in Hills of West Bengal," *Journal of Crop and Weed* 8, no. 1 (2012): 160–164, <https://www.cropandweed.com/vol8issue1/pdf2005/40.pdf>.
72. J. Unger, *Evaluation of Local Knowledge Applied by Farmers Towards Management of Crop Pests and Diseases in the Masaka Region, Uganda* (master's thesis, SLU, Sweden: Swedish University of Agricultural Sciences, 2014), 100, [https://stud.epsilon.slu.se/7474/1/unger\\_j\\_141107.pdf](https://stud.epsilon.slu.se/7474/1/unger_j_141107.pdf).
73. T. K. V. Vu, M. T. Tran, and T. T. S. Dang, "A Survey of Manure Management on Pig Farms in Northern Vietnam," *Livestock Science* 112, no. 3 (2007): 288–297, <https://doi.org/10.1016/j.livsci.2007.09.008>.
74. C. Pfeifer, J. Morris, E. Githoro, and G. Asimwe, "Pathways for Sustainable Pig Value Chain Development in Uganda," *Report of a Participatory Ex-Ante Environmental Assessment Workshop, Hoima, Uganda, 30 September 2015* (Nairobi, Kenya: ILRI, 2015), [https://cgspace.cgiar.org/bitstream/handle/10568/70219/cleaned\\_hoima\\_2015\\_print.pdf?sequence=3&isAllowed=y](https://cgspace.cgiar.org/bitstream/handle/10568/70219/cleaned_hoima_2015_print.pdf?sequence=3&isAllowed=y).
75. I. Wanyama and S. Leitner, *A Review on Health and Environmental Aspects of Current Manure Management Practices in Pig Production Systems in Uganda* (Nairobi, Kenya: ILRI, 2019), <https://cgspace.cgiar.org/rest/bitstreams/184721/retrieve#:~:text=However%2C%20the%20fast%20growth%20of,2015>.

76. I. Rubayiza, E. Mwema, J. Mukiri, et al., "Assessing the Environmental Impacts of Intervention Packages in Pig Production Systems in Uganda," in *CLEANED Baseline and Scenario Assessment Report* (Nairobi, Kenya: Alliance of Bioversity International and CIAT (International Center for Tropical Agriculture), 2021), <https://cgspace.cgiar.org/bitstream/handle/10568/115919/CLEANED%20UG%20ASSESSMENT%20FINAL%20%2028%20OCT.pdf?sequence=1>.
77. K. Van Mierlo, L. Baert, E. Bracquené, J. De Tavernier, and A. Geeraerd, "The Influence of Farm Characteristics and Feed Compositions on the Environmental Impact of Pig Production in Flanders: Productivity, Energy Use and Protein Choices Are Key," *Sustainability* 13, no. 21 (2021): 11623, <https://doi.org/10.3390/su132111623>.
78. W. Nugroho, C. F. Cargill, I. M. Putra, et al., "Traditional Pig Farming Practices and Productivity in the Jayawijaya Region, Papua Province, Indonesia," *Tropical Animal Health and Production* 47, no. 3 (2015): 495–502, <https://doi.org/10.1007/s11250-014-0748-5>.
79. K. Marshall, J. Poole, E. Oyieng, E. Ouma, and D. R. Kugonza, "A Farmer-Friendly Tool for Estimation of Weights of Pigs Kept by Smallholder Farmers in Uganda," *Tropical Animal Health and Production* 55, no. 3 (2023): 219, <https://doi.org/10.1007/s11250-023-03561-z>.
80. T. Petros, D. Chanie, W. Awoke, and A. Sewagen, "Assessment of Indigenous Knowledge and its Relevance for Livestock Production: The Case of North Gondar Zone: Amhara Region, Ethiopia," *International Journal of Scientific Research and Management (IJSRM)* 6, no. 4 (2018): 81–88, <https://doi.org/10.18535/ijserm/v6i4.ah04>.
81. G. Beyihayo, R. Mwesigwa, and D. Pezo, "Pig Feeding Strategies: Uganda Smallholder Pig Value Chain Capacity Development Training Manual," in *ILRI Manual 16* (Nairobi, Kenya: International Livestock Research Institute, 2015), <https://cgspace.cgiar.org/bitstream/handle/10568/65209/manual16.pdf?sequence=7&isAllowed=y>.
82. M. Mpewo, S. Kizza-Nkambwe, and J. S. Kasima, "Heavy Metal and Metalloid Concentrations in Agricultural Communities Around Steel and Iron Industries in Uganda: Implications for Future Food Systems," *Environmental Pollutants and Bioavailability* 35, no. 1 (2023): 2226344, <https://doi.org/10.1080/26395940.2023.2226344>.
83. S. Mosweu and M. Letshwenyo, "Is Roadside Grass Suitable for Use as Livestock Forage in Botswana?," *Journal of Environmental Chemistry and Ecotoxicology* 5, no. 10 (2013): 265–268, <https://doi.org/10.5897/JECE2013.0297>.
84. S. K. Rajak, P. Kumar, and J. Manjusa, "Awareness and Adoption of Indigenous Technical Knowledge Among Livestock Owners of Bihar," *International Journal of Current Microbiology and Applied Sciences* 2018, no. 7 (2018): 4824–4828, <https://www.ijemas.com/special/7/Saroj%20K.%20Rajak,%20et%20al.pdf>.
85. S. Kanthal and S. Garai, "Identification of Different Indigenous Technical Knowledge Application in Agriculture and Allied Sector in Some Selected Areas of West Bengal," supplement, *Journal of Survey in Fisheries Sciences* 10, no. 1S (2023): 7022–7025, <https://sifisheriessciences.com/journal/index.php/journal/article/view/2301/2368>.
86. J. S. Kasima, H. Muyinza, B. Mugonola, and E. K. Ndyomugenyi, "The Potential Role of Crop Wastes in Uganda's Future Pork and Poultry Meat Production: A Mini Review," *Cogent Food & Agriculture* 9, no. 2 (2023): 2269665, <https://doi.org/10.1080/23311932.2023.2269665>.